

## F/G. 3

IPv4

IPv6

120. 130. 26. 1


FEDC: BA98:: 7654: 3210


120. 130. 26. 2

(unassigned)

120. 130. 26. 3

(unassigned)





10B


IPv4	IPv6-HoA	IPv6-CoA
120. 130. 26. 1	FEDC:BA98::7654:3210	1234:5678::7654:3210
120. 130. 26. 2	(unassigned)	(unassigned)
120, 130, 26, 3	(unass i gned)	(unassigned)
• • •	• • •	


F16.9

Payload length: Next Header:4(IP) Hop limit:255  SOURCE ADDRESS: ADDRESS OF IPv4-IPv6 TRANSLATION DEVICE  DESTINATION ADDRESS: CoA OF MN
DESTINATION ADDRESS: COA OF MN
Version:6 Traffic Class:0Flow Label:0Dayload Langth:Next Header: Hop Limit:255
SOURCE ADDRESS: ADDRESS OF CN
DESTINATION ADDRESS: HOME ADDRESS OF MN
USER DATA


F/G. 10

	Flow Label:0	
ength: (ROI	(ROUTING HEADER)	Hop limit:255
SOURCE ADDRESS: ADDRESS OF CN	ADDRESS OF CN	
DESTINATION ADDRESS: COA OF MN	SS: COA OF MN	
Header Length:2	Type:2	Segment Left:1
reserved:0	0:	
HOME ADDRESS OF MN	S OF MN	
USER DATA	A	






중




F/G. 15



F/G. 16

F/G. 17

IPv6-CoA	1234:5678::7654:3210	(unassigned)	(unass i gned)	• • •
I Pv6-HoA	FEDC:BA98::7654:3210	(unassigned)	(unassigned)	• • •
PORT ·	1	2	က	• • •
IPv4	120. 130. 26. 1	120. 130. 26. 2	120. 130. 26. 3	• • •



Host#1 FEDC:BA98:./b54.3210 <-> 120.130.20.1 Host#2 FEDC:BA00::132.146.243.30 <-> 132.146.243.30

